

OVO3-BL

3" small design loudspeaker, black



The OVO3 is a 3" low impedance small design two-way loudspeaker. This speaker is loved for its price and sound quality and because of its elegant design the OVO3 loudspeakers fit into every interior. This newcomer in the OVO Series can be used in more residential places and for background music in smaller retail-stores, restaurants...

The OVO3 uses a bracket system that allows you to position the loudspeaker in a variety of different angles. In case you want to install the OVO3 on a flat surface, this can easily be done with the supplied pad.

The sturdy ABS plastic housing guarantees years of trouble free musical enjoyment. The wall bracket and shelf mount adaptor are included.

Of course we don't want to forget to mention that OVO3 is a small but perfect loudspeaker that likes to be used in combination with a subwoofer like the Apart SUBLIME. A combination OVO3/SUBLIME is a solution that will be almost unnoticeable as the SUBLIME subwoofer is extremely compact which allows you to hide it behind a closet or curtain.


TECHNICAL SPECIFICATIONS

| | | | |
|--|----------------------------|----------------------------------|---------------------|
| height in mm | 160 | width in mm | 110 |
| depth in mm | 117 | loudspeaker system | 2-way |
| woofer size in inch | 3 | woofer cone material | coated paper |
| tweeter size in inch | 1 | mounting system | turn / tilt bracket |
| colour | black / white | impedance (ohms) | 8 |
| low impedance dynamic power in watts | 40 | low impedance RMS power in watts | 20 |
| SPL 1W/1m in dB | 82 | max SPL 1m in dB | 97 |
| frequency response in Hz | 90 - 20K | main construction material | ABS plastic |
| grille main material | steel | IP rating | |
| closest RAL colour (subject to deviations) | RAL9003 (W) / RAL9011 (BL) | Net weight product (kg) | 0,80 |

POLAR PLOTS


Data Shown: OVO3 (Apart Audio)
Display Parameters: Frequency: 1000Hz (1/24th Octave)

Horizontal
Vertical




Data Shown: OVO3 (Apart Audio)
Display Parameters: Frequency: 2000Hz (1/24th Octave)

Horizontal
Vertical




Data Shown: OVO3 (Apart Audio)
Display Parameters: Frequency: 4000Hz (1/24th Octave)

Horizontal
Vertical



Data Shown: OVO3 (Apart Audio)
Display Parameters: Frequency: 8000Hz (1/24th Octave)

Horizontal
Vertical



[MORE PICTURES](#)

