

OVO8-BL

8" powerful two-way loudspeaker,
black



OVO8 is an 8" powerful low impedance two-way cabinet loudspeaker. This high quality cabinet loudspeaker gives you a deep bass for a groovy sound. This powerful but compact speaker is easy to integrate in any large room, whatever the interior style may be.

The included bracket allows flexible positioning, while the sturdy ABS plastic housing guarantees years of trouble free musical enjoyment.

Quick-Fit cable clamps ensure quick and easy mounting, but the speaker can also be placed freestanding on a shelf.

The housing of OVO8 is made of ABS plastic. The loudspeaker has an 8" paper cone woofer, a 1" silk dome tweeter and a double painted steel grille. Affordable, but by no means a compromise on sound quality – typically Apart!


TECHNICAL SPECIFICATIONS

height in mm	358	width in mm	245
depth in mm	250	loudspeaker system	2-way
woofer size in inch	8	woofer cone material	coated paper
tweeter size in inch	1	mounting system	U-bracket
colour	black / white	impedance (ohms)	8
low impedance dynamic power in watts	160	low impedance RMS power in watts	80
SPL 1W/1m in dB	87	max SPL 1m in dB	109
frequency response in Hz	45 - 20K	main construction material	ABS plastic
grille main material	steel	IP rating	40
Horizontal dispersion angle 1000 Hz	180°	Vertical dispersion angle 1000 Hz	170°
closest RAL colour (subject to deviations)	RAL9003 (W) / RAL9011 (BL)	Net weight product (kg)	6,10

POLAR PLOTS


Data Shown: OVO8 (Apart Audio)
Display Parameters: Frequency: 1000Hz (1/24th Octave)

Horizontal
Vertical




Data Shown: OVO8 (Apart Audio)
Display Parameters: Frequency: 2000Hz (1/24th Octave)

Horizontal
Vertical




Data Shown: OVO8 (Apart Audio)
Display Parameters: Frequency: 4000Hz (1/24th Octave)

Horizontal
Vertical



Data Shown: OVO8 (Apart Audio)
Display Parameters: Frequency: 8000Hz (1/24th Octave)

Horizontal
Vertical



[MORE PICTURES](#)

