

LW 2201

Screen systems

BASS:	2 x 15" speaker with 2,5" voice coil
MID:	
TREBLE:	1 x 1,5" driver with 1 " PM4 voice coil
HORN:	Flat front 90°x40° LW2001HFD with pan/tilt adjustment
POWER:	2201(670 AES/1340 Prg.) Nominal Impedance 4 ohm.
SENSITIVITY:	97,3dB/1W/1m. Half Space SPL 126,2dB. SPL 129,2dB with music criteria
FREQUENCY RESPONSE:	(-10dB) 38 Hz.-19.000 Hz.
SIZE:	126,1 x 68 x 47 cm.
WEIGHT:	Net 57 kg.



This is the evolution of our well known LW 2101, suitable for cinemas up to 250 seats. The most important improvement being the enhanced treble driver, now with 1.5" to further improve the intelligibility for all the audience. The aiming device adapts the system to the new stadium seating feature of modern cinemas, achieving a constant directivity and very low distortion for every seat.

The internal crossover/processor includes SCD (projection screen compensation device) for passive mode.

Ready to work with our subwoofer systems LW 6109 or LW 6113 and our range of LW Amplifiers. Its quality is superb and it covers the complete frequency range for this very special kind of sound called Cinema Sound. All this can be achieved thanks to the professional European components used in the manufacturing.

As every LW Speakers model, the unit is painted with the strongest possible finishing: the polyurea.

To save labour costs, it is delivered and packaged pre-assembled in two cartons.

